

asgüreller  
marble



asgüreller  
marble

# about ASGÜRELLER

**Nature itself offers us all its beauties; our job is to excavate these beauties and process them with the latest technology. Asgüreller Marble, founded in 1994 as a family company, aimed to provide quality service with high technology, know-how and experience.**

The quarries in Aglasun town, have a total capacity of 337 hectares and huge volumes of raw material reserves. Customer satisfaction and human resources are the priorities of the company.

Asgüreller Marble produces all kinds of items with the utmost quality under the quality assurance of CE standards and this empowers its position in the market against its competitors. By putting a vision of best quality, Asgüreller Marble adapts itself to the actual circumstances in domestic and overseas markets via its qualified team.





# QUARRIES & FACTORY

**Asgüreller Marble with its facility established on a total land of 12.000 m<sup>2</sup>, a closed part of which covers an area of 4000 m<sup>2</sup>.**



**BURDUR  
QUARRY**






Asgüreller Marble has the annual production capacity of **300.000 m<sup>2</sup>** in its facilities.

# SAGALASSOS QUARRY

**Sagalassos Stone Collection includes Cream, Platinum, Samara and Ebruli which are known as the most durable ones in the Beige Marbles Category.**





# FACTORY





# BURDUR LIGHT

## SIZES

12" × 12"	30.5 × 30.5 cm	12" × 18"	30.5 × 45.7 cm
16" × 16"	40.6 × 40.6 cm	12" × 24"	30.5 × 61.0 cm
18" × 18"	45.7 × 45.7 cm	16" × 24"	40.6 × 61.0 cm
24" × 24"	61.0 × 61.0 cm	18" × 36"	45.7 × 91.5 cm
		24" × 36"	61.0 × 91.5 cm

## PROPERTIES

Apparent Density	2641 kg/m <sup>3</sup>
Open Porosity	0,43 %
Total Porosity	3,68 %
Slip Resistance (Wet/ Dry)	9,5 SRVd° / 15,3 SRVd°
Water Absorption	0,16 %
Flexural Strength	6,98 MPa
Abrasion Resistance	17,01 mm



# LATTE



## SIZES

12" × 12"	30.5 × 30.5 cm	12" × 18"	30.5 × 45.7 cm
16" × 16"	40.6 × 40.6 cm	12" × 24"	30.5 × 61.0 cm
18" × 18"	45.7 × 45.7 cm	16" × 24"	40.6 × 61.0 cm
24" × 24"	61.0 × 61.0 cm	18" × 36"	45.7 × 91.5 cm
		24" × 36"	61.0 × 91.5 cm

## PROPERTIES

Apparent Density	2641 kg/m <sup>3</sup>
Open Porosity	0,43 %
Total Porosity	3,68 %
Slip Resistance (Wet/ Dry)	9,5 SRVd° / 15,3 SRVd°
Water Absorption	0,16 %
Flexural Strength	6,98 MPa
Abrasion Resistance	17,01 mm



# OSCAR



## SIZES

12" × 12"	30.5 × 30.5 cm	12" × 18"	30.5 × 45.7 cm
16" × 16"	40.6 × 40.6 cm	12" × 24"	30.5 × 61.0 cm
18" × 18"	45.7 × 45.7 cm	16" × 24"	40.6 × 61.0 cm
24" × 24"	61.0 × 61.0 cm	18" × 36"	45.7 × 91.5 cm
		24" × 36"	61.0 × 91.5 cm

## PROPERTIES

Apparent Density	2641 kg/m <sup>3</sup>
Open Porosity	0,43 %
Total Porosity	3,68 %
Slip Resistance (Wet/ Dry)	9,5 SRVd° / 15,3 SRVd°
Water Absorption	0,16 %
Flexural Strength	6,98 MPa
Abrasion Resistance	17,01 mm



# NOUVA

## SIZES


12" × 12"	30.5 × 30.5 cm	12" × 18"	30.5 × 45.7 cm
16" × 16"	40.6 × 40.6 cm	12" × 24"	30.5 × 61.0 cm
18" × 18"	45.7 × 45.7 cm	16" × 24"	40.6 × 61.0 cm
24" × 24"	61.0 × 61.0 cm	18" × 36"	45.7 × 91.5 cm
		24" × 36"	61.0 × 91.5 cm

## PROPERTIES

Apparent Density	2641 kg/m <sup>3</sup>
Open Porosity	0,43 %
Total Porosity	3,68 %
Slip Resistance (Wet/ Dry)	9,5 SRVd° / 15,3 SRVd°
Water Absorption	0,16 %
Flexural Strength	6,98 MPa
Abrasion Resistance	17,01 mm



# AGREGA



## SIZES

12" × 12"	30.5 × 30.5 cm	12" × 18"	30.5 × 45.7 cm
16" × 16"	40.6 × 40.6 cm	12" × 24"	30.5 × 61.0 cm
18" × 18"	45.7 × 45.7 cm	16" × 24"	40.6 × 61.0 cm
24" × 24"	61.0 × 61.0 cm	18" × 36"	45.7 × 91.5 cm
		24" × 36"	61.0 × 91.5 cm

## PROPERTIES

Apparent Density	2641 kg/m <sup>3</sup>
Open Porosity	0,43 %
Total Porosity	3,68 %
Slip Resistance (Wet/ Dry)	9,5 SRVd° / 15,3 SRVd°
Water Absorption	0,16 %
Flexural Strength	6,98 MPa
Abrasion Resistance	17,01 mm



# CAFE ROYAL

## SIZES

12" × 12"	30.5 × 30.5 cm	12" × 18"	30.5 × 45.7 cm
16" × 16"	40.6 × 40.6 cm	12" × 24"	30.5 × 61.0 cm
18" × 18"	45.7 × 45.7 cm	16" × 24"	40.6 × 61.0 cm
24" × 24"	61.0 × 61.0 cm	18" × 36"	45.7 × 91.5 cm
		24" × 36"	61.0 × 91.5 cm

## PROPERTIES

Apparent Density	2641 kg/m <sup>3</sup>
Open Porosity	0,43 %
Total Porosity	3,68 %
Slip Resistance (Wet/ Dry)	9,5 SRVd° / 15,3 SRVd°
Water Absorption	0,16 %
Flexural Strength	6,98 MPa
Abrasion Resistance	17,01 mm



# CREAM



## SIZES

12" × 12"	30.5 × 30.5 cm	12" × 18"	30.5 × 45.7 cm
16" × 16"	40.6 × 40.6 cm	12" × 24"	30.5 × 61.0 cm
18" × 18"	45.7 × 45.7 cm	16" × 24"	40.6 × 61.0 cm
24" × 24"	61.0 × 61.0 cm	18" × 36"	45.7 × 91.5 cm
		24" × 36"	61.0 × 91.5 cm

## PROPERTIES

Apparent Density	2669 kg/m <sup>3</sup>
Open Porosity	0,43 %
Total Porosity	5,95 %
Water Absorption	0,2 %
Flexural Strength	7,13 MPa
Abrasion Resistance	15,64 mm



# PLATINUM



## SIZES

12" × 12"	30.5 × 30.5 cm	12" × 18"	30.5 × 45.7 cm
16" × 16"	40.6 × 40.6 cm	12" × 24"	30.5 × 61.0 cm
18" × 18"	45.7 × 45.7 cm	16" × 24"	40.6 × 61.0 cm
24" × 24"	61.0 × 61.0 cm	18" × 36"	45.7 × 91.5 cm
		24" × 36"	61.0 × 91.5 cm

## PROPERTIES

Apparent Density	2669 kg/m <sup>3</sup>
Open Porosity	0,43 %
Total Porosity	5,95 %
Water Absorption	0,2 %
Flexural Strength	7,13 MPa
Abrasion Resistance	15,64 mm



# SAMARA



## SIZES

12" × 12"	30.5 × 30.5 cm	12" × 18"	30.5 × 45.7 cm
16" × 16"	40.6 × 40.6 cm	12" × 24"	30.5 × 61.0 cm
18" × 18"	45.7 × 45.7 cm	16" × 24"	40.6 × 61.0 cm
24" × 24"	61.0 × 61.0 cm	18" × 36"	45.7 × 91.5 cm
		24" × 36"	61.0 × 91.5 cm

## PROPERTIES

Apparent Density	2669 kg/m <sup>3</sup>
Open Porosity	0,43 %
Total Porosity	5,95 %
Water Absorption	0,2 %
Flexural Strength	7,13 MPa
Abrasion Resistance	15,64 mm



# EBRULI



## SIZES


12" × 12"	30.5 × 30.5 cm	12" × 18"	30.5 × 45.7 cm
16" × 16"	40.6 × 40.6 cm	12" × 24"	30.5 × 61.0 cm
18" × 18"	45.7 × 45.7 cm	16" × 24"	40.6 × 61.0 cm
24" × 24"	61.0 × 61.0 cm	18" × 36"	45.7 × 91.5 cm
		24" × 36"	61.0 × 91.5 cm

## PROPERTIES

Apparent Density	2669 kg/m <sup>3</sup>
Open Porosity	0,43 %
Total Porosity	5,95 %
Water Absorption	0,2 %
Flexural Strength	7,13 MPa
Abrasion Resistance	15,64 mm



# HIRA



## SIZES

12" × 12"	30.5 × 30.5 cm	12" × 18"	30.5 × 45.7 cm
16" × 16"	40.6 × 40.6 cm	12" × 24"	30.5 × 61.0 cm
18" × 18"	45.7 × 45.7 cm	16" × 24"	40.6 × 61.0 cm
24" × 24"	61.0 × 61.0 cm	18" × 36"	45.7 × 91.5 cm
		24" × 36"	61.0 × 91.5 cm

## PROPERTIES

Apparent Density	2669 kg/m <sup>3</sup>
Open Porosity	0,43 %
Total Porosity	5,95 %
Water Absorption	0,2 %
Flexural Strength	7,13 MPa
Abrasion Resistance	15,64 mm







# BURDUR BEIGE

## ACCREDITED NATURAL STONE ANALYSIS LABORATORY TEST/ ANALYSIS REPORT

### Determination of Apparent Density, Total and Open Porosity (70mm×70mm×70mm)

Apparent Density	2641 kg/m <sup>3</sup>	Standard Deviation 8,09
Open Porosity	0,43 %	Standard Deviation 0,08
Total Porosity	3,68 %	Standard Deviation 0,3

### Determination of the Slip Resistance by Means of the Pendulum Tester (200mm×100mm×20mm)

Average Value, Wet Conditions	9,5 SRVd <sup>o</sup>
Average Value, Dry Conditions	15,3 SRVd <sup>o</sup>

### Water Absorption

Coefficient by Capillarity	0,34 gr/m <sup>2</sup> .s <sup>0,5</sup>	Standard Deviation 0,07
Absorption by Atmospheric Pressure	0,16 %	Standard Deviation 0,03

### Strength

Compressive Strength	86 MPa	Standard Deviation 20,15
Flexural Strength Under Const. Moment	8,88 MPa	Standard Deviation 2,31
Flexural Strength Under Concentrated Load	6,98 MPa	Standard Deviation 1,03
Abrasion Resistance	17,01 mm	Standard Deviation 0,65

### Macroscopic Examination

Color	Yellowish Gray (5Y 8/1)
Texture	Microcrystalline
Particle Size	Micro
Fissure	Yes
Pore	Not
Macro Fossil	Not





# ASGÜRELLER IN THE WORLD

**Turkey is estimated to have 40% of the natural stone resources of the world. Asgüreller Marble feels itself obligated to make the best use of these treasures which will finally turn into an economic welfare for the country.**

Products obtained from the Yumrutas Quarry and with the name of Sagalassos Stone Collection are exported to the whole world.

Some of the countries where Asgüreller export its products are China, the United States, Egypt, Libya, Thailand, Canada, the United Kingdom, Israel, Australia, Qatar, Saudi Arabia, South Africa, Puerto Rico, Panama, Dominican Republic, Spain, Azerbaijan, Kazakhstan, Ukraine and Indonesia.



## CONTACT

+90 (248) 317 12 00

[www.asgureller.com](http://www.asgureller.com)

[info@asgureller.com](mailto:info@asgureller.com)

Antalya Karayolu 6.Km Eskiköy Mevkii  
15300 Bucak- Burdur/ TURKEY

notes



asgüreller  
marble

+90 (248) 317 12 00

[www.asgureller.com](http://www.asgureller.com)

[info@asgureller.com](mailto:info@asgureller.com)

Antalya Karayolu 6.Km Eskiköy Mevkii  
15300 Bucak- Burdur/ TURKEY